

## INTRODUCTION

This **Member Formulary** is a useful aid to understanding your drug benefit program. The formulary is a list of drugs reviewed and approved by an independent committee of physicians and pharmacists. The formulary includes drugs that are commonly prescribed by physicians, clinically useful, and cost-effective.

Bring this **Member Formulary** to your doctor appointments. Your doctor can review the formulary and determine if a drug listed is appropriate for you. When you have a prescription filled, your copayment will be at one of three levels or "tiers." Tier 1 and tier 2 drugs will be the lower copayments. However, a tier 1 or tier 2 drug may not always be available or the best choice for your medical condition.

**Tier 1** (lowest copayment) includes only generic versions of brand-name drugs. Generic drugs are noted in lowercase type. A brand-name drug that is **bolded** indicates that a generic is available. All generic drugs, whether listed in this formulary or not, are the lowest copayment.

**Tier 2** (intermediate copayment) includes selected brand-name drugs. Brand-name drugs are noted in all capital letters.

**Tier 3** (highest copayment) includes all brand-name drugs not listed in tier 2 and includes all brands not listed in this formulary.

**Brand-name drugs are shown in capital letters. Those with generic versions available are identified with a bolded brand name. Generic versions of brand-name drugs are always in tier 1 (lowest copayment.)**

The drug names listed here are the registered and/or unregistered trademarks of third-party pharmaceutical companies unrelated to and unaffiliated with Script Care. These trademarked brand names are included here for informational purposes only and are not intended to imply or suggest any affiliation between Script Care and such third-party pharmaceutical companies.

## LEARNING MORE ABOUT GENERIC DRUGS

One way you can reduce your out-of-pocket cost is by requesting a generic drug. A generic drug is a copy of the original brand-name drug, whether prescription or over-the-counter. Generic drugs are usually priced lower than their brand-name equivalents.

### Generic drugs are:

- . Approved by the U.S. Food and Drug Administration for safety and effectiveness, and are manufactured under the same strict standards which apply to brand-name drugs.
- . Tested in humans to assure the generic is absorbed in the bloodstream in a similar manner as the brand-name drug. Generics may be different from the brand in size, color, and inactive ingredients, but this does not alter the effectiveness or the ability to be absorbed just like the brand-name drug.
- . Manufactured in the same strength and dosage form as the brand-name drug.

**When a generic drug is substituted for a brand-name drug, you can expect the generic to produce the same clinical effect and safety profile as the brand-name drug.**

## HELPFUL HINTS FOR TAKING DRUGS PROPERLY

- . Consult your pharmacist when you have questions about prescription and over-the-counter drugs.
- . Read and heed labels.
- . Take your medication exactly as prescribed.
- . Store your medication at room temperature unless advised differently on the label.
- . Display the telephone number of your local Poison Control Center on your phone.
- . Keep an up-to-date list of your prescription and over-the-counter drugs, including the dosage schedule and the name of the prescribing physician, in your purse or wallet. Every time you have an appointment, show the list to your doctor.

## IMPORTANT

*Your benefit coverage may not be limited to this list. There may be drugs listed here that are not covered by your specific plan. Some strengths/dosage forms of drugs listed may not be on the formulary. Using this list is voluntary. This list is subject to change at any time. Refer to your benefit materials or call your prescription benefit member services telephone number for specific coverage information.*

## LEGEND

- #** Only the dosage forms/strengths of the brand-name product noted are on the **Member Formulary**
- ##** Only the brand-name product noted is on the **Member Formulary**
- OTC** Over the counter
- boldface** Indicates generic availability; boldface may not apply to every strength or dosage form under the listed generic name
- delayed-rel** Delayed-release (also known as enteric-coated), refer to the reference brand listed for clarification
- ext-rel** Extended-release (also known as sustained-release), refer to the reference brand listed for clarification

## ANALGESICS

Practice guidelines of pain management are available at: <http://www.asahq.org>

### NSAIDs

#### TIER 1

diflunisal  
etodolac  
indomethacin  
nabumetone  
salsalate

#### TIER 3

ANAPROX  
CLINORIL  
DAYPRO  
INDOCIN SR  
INDOCIN susp  
MOBIC  
MOTRIN  
NAPROSYN  
VOLTAREN

### NSAIDs, TOPICAL

#### TIER 2

VOLTAREN GEL

### COX-2 INHIBITORS

#### TIER 2

CELEBREX

### GOUT

#### TIER 1

probenecid

#### TIER 2

ULORIC

#### TIER 3

ZYLOPRIM

### NARCOTIC ANALGESICS

Practice Guidelines for Cancer Pain Management (includes WHO analgesic ladder) are available at: <http://www.asahq.org>

<http://www.nccn.org>

Opioid guidelines in the management of chronic non-malignant pain are available at:

<http://www.asipp.org/Guidelines.htm>

#### TIER 3

LORCET  
LORTAB  
MAXIDONE  
NORCO  
TYLENOL w/CODEINE  
VICODIN ES

### NARCOTIC ANALGESICS, CII

#### TIER 1

morphine  
morphine supp  
oxycodone tabs 5 mg

### TIER 2

AVINZA  
KADIAN  
OPANA ER  
OXYCONTIN

### TIER 3

DILAUDID  
DURAGESIC  
MS CONTIN  
OXYIR  
PERCOCET  
ROXICODONE INTENSOL  
ROXICODONE tabs 15 mg, soln 5 mg/5 mL  
ROXICODONE tabs 30 mg

### NON-NARCOTIC ANALGESICS

#### TIER 3

FIORICET  
FIORINAL  
ULTRAM

### VISCOSUPPLEMENTS

#### TIER 2

EUFLEXXA  
SUPARTZ  
SYNVISC  
SYNVISC ONE

## ANTI-INFECTIVES

**Hepatitis:** CDC recommendations on the treatment of hepatitis are available at: <http://www.cdc.gov/ncidod/diseases/hepatitis/index.htm>

Guidelines for the management of chronic hepatitis by the American Association for the Study of Liver Disease are available at: <http://www.aasld.org>

**HIV/AIDS:** Guidelines for the treatment of HIV patients by the U.S. Department of Health and Human Services are available at:

<http://www.aidsinfo.nih.gov>

**Infective Endocarditis:** American Heart Association recommendations for the prevention of bacterial endocarditis are available at: <http://www.americanheart.org>

**Influenza:** Recommendations of the Advisory Committee on Immunization Practices are available at:

<http://www.cdc.gov/ncidod/diseases/flu/fluvirus.htm>

**International Travel:** CDC recommendations for international travel are available at:

<http://www.cdc.gov/travel>

**Sexually Transmitted Diseases:** CDC Sexually Transmitted Diseases Guidelines are available at:

<http://www.cdc.gov/std/treatment/default.htm>

**Respiratory Tract Infection/Antibiotic Use/Community Acquired Pneumonia/Other:**

Principles of appropriate antibiotic use for treatment of nonspecific upper respiratory tract infection in adults are available at: [http://www.cdc.gov/ncidod/guidelines/guidelines\\_topic\\_ar.htm](http://www.cdc.gov/ncidod/guidelines/guidelines_topic_ar.htm)

Practice guidelines and statements developed and endorsed by the Infectious Diseases Society of America are available at: <http://www.idsociety.org>

### ANTIBACTERIALS

#### Cephalosporins

##### First Generation

#### TIER 1

cefadroxil

#### TIER 3

KEFLEX

##### Second Generation

#### TIER 1

cefaclor  
cefprozil

#### TIER 3

CEFTIN

##### Third Generation

#### TIER 2

SUPRAX

#### TIER 3

CEDAX  
OMNICEF

#### Erythromycins/Macrolides

#### TIER 1

erythromycin delayed-rel  
erythromycin stearate  
erythromycin/sulfisoxazole

#### TIER 3

BIAXIN  
BIAXIN XL  
E.E.S.  
ZITHROMAX

#### Fluoroquinolones

#### TIER 1

levofloxacin

#### TIER 2

AVELOX  
CIPRO susp

#### TIER 3

CIPRO tabs  
CIPRO XR

#### Penicillins

#### TIER 1

ampicillin  
dicloxacillin  
penicillin VK

#### TIER 3

AMOXIL  
AUGMENTIN  
AUGMENTIN ES-600  
AUGMENTIN XR

#### Sulfonamides

#### TIER 2

GANTRISIN

#### Tetracyclines

#### TIER 1

tetracycline

#### TIER 3

MINOCIN  
PERIOSTAT  
VIBRAMYCIN

### ANTIFUNGALS

#### TIER 2

GRIS-PEG  
VFEND

#### TIER 3

DIFLUCAN  
LAMISIL #  
MYCELEX  
MYCOSTATIN  
NIZORAL  
SPORANOX

### ANTIMALARIALS

#### TIER 2

MALARONE

#### TIER 3

ARALEN  
LARIAM

## ANTIRETROVIRAL AGENTS

### Antiretroviral Combinations

#### TIER 2

ATRIPLA  
COMBIVIR  
EPZICOM  
TRIZIVIR  
TRUVADA

### Chemokine Receptor Antagonists

#### TIER 2

SELZENTRY

### Fusion Inhibitors

#### TIER 3

FUZEON

### Integrase Inhibitors

#### TIER 2

ISENTRESS

### Non-nucleoside Reverse Transcriptase Inhibitors

#### TIER 2

INTELENCE  
RESCRIPTOR  
SUSTIVA  
VIRAMUNE

### Nucleoside Reverse Transcriptase Inhibitors

#### TIER 2

EMTRIVA  
EPIVIR  
RETROVIR  
VIDEX EC  
VIDEX soln  
ZERIT  
ZIAGEN

### Nucleotide Reverse Transcriptase Inhibitors

#### TIER 2

VIREAD

### Protease Inhibitors

#### TIER 2

APTIVUS  
CRIXIVAN  
INVIRASE  
KALETRA  
LEXIVA  
NORVIR  
PREZISTA  
REYATAZ  
VIRACEPT

## ANTITUBERCULAR AGENTS

#### TIER 1

isoniazid  
pyrazinamide

#### TIER 3

MYAMBUTOL  
RIFADIN

## ANTIVIRALS

### Cytomegalovirus Agents

#### TIER 1

ganciclovir

#### TIER 2

VALCYTE

### Hepatitis Agents

#### TIER 2

BARACLUDGE  
EPIVIR-HBV  
HEPSERA  
REBETOL oral soln

TYZEKA

#### TIER 3

COPEGUS  
REBETOL caps

### Herpes Agents

#### TIER 3

FAMVIR  
VALTRES  
ZOVIRAX

### Influenza Agents

#### TIER 1

amantadine

#### TIER 2

RELENZA  
TAMIFLU

#### TIER 3

FLUMADINE

## MISCELLANEOUS

#### TIER 1

mebendazole  
trimethoprim

#### TIER 2

DAPSONE  
FURADANTIN

#### TIER 3

ALINIA  
CLEOCIN  
FLAGYL  
MACROBID  
MACRODANTIN  
SEPTRA  
TINDAMAX  
VANCOCIN  
ZYVOX

## ANTINEOPLASTIC AGENTS

Clinical practice guidelines in oncology are available at: <http://www.nccn.org>  
<http://www.asco.org>

## ALKYLATING AGENTS

#### TIER 1

cyclophosphamide

#### TIER 2

ALKERAN  
CEENU  
HEXALEN  
LEUKERAN  
MYLERAN  
TEMODAR

## ANTIMETABOLITES

#### TIER 2

OFORTA  
THIOGUANINE  
TREXALL  
XELODA

#### TIER 3

PURINETHOL

## HORMONAL ANTINEOPLASTIC AGENTS

### Antiandrogens

#### TIER 1

flutamide

#### TIER 2

CASODEX

### Antiestrogens

#### TIER 1

tamoxifen

#### TIER 2

FARESTON  
FASLODEX

### Aromatase Inhibitors

#### TIER 2

ARIMIDEX  
AROMASIN  
FEMARA

### Luteinizing Hormone-releasing Hormone (LHRH) Agonists

#### TIER 1

leuprolide acetate

#### TIER 2

TRELSTAR  
ZOLADEX

#### TIER 3

LUPRON DEPOT

### Progestins

#### TIER 3

MEGACE  
MEGACE ES

## IMMUNOMODULATORS

#### TIER 2

REVLIMID  
THALOMID

## KINASE INHIBITORS

#### TIER 2

AFINITOR  
GLEEVEC  
IRESSA  
NEXAVAR  
SPRYCEL  
SUTENT  
TARCEVA  
TASIGNA  
TYKERB

## TOPOISOMERASE INHIBITORS

#### TIER 2

HYCAMTIN caps

## MISCELLANEOUS

#### TIER 1

etoposide

#### TIER 2

LYSODREN  
MATULANE  
TARGRETIN caps  
VESANOID  
ZOLINZA

#### TIER 3

HYDREA

## CARDIOVASCULAR

The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation and Treatment of High Blood Pressure is available at:

<http://www.nhlbi.nih.gov/guidelines/hypertension>

Guidelines for the evaluation and management of cardiovascular diseases in adults are available at: <http://www.acc.org>  
<http://www.americanheart.org>  
<http://www.heartfailureguideline.org>

### ACE INHIBITORS

Guidelines for the use of ACE inhibitors are available at: <http://professional.diabetes.org>  
<http://www.acc.org>  
<http://www.americanheart.org>  
<http://www.nhlbi.nih.gov/guidelines/hypertension>

#### TIER 3

ACCUPRIL  
ACEON  
ALTACE  
CAPOTEN  
LOTENSIN  
MAVIK  
MONOPRIL  
VASOTEC  
ZESTRIL

### ACE INHIBITOR/CALCIUM CHANNEL BLOCKER COMBINATIONS

#### TIER 3

LOTREL  
TARKA

### ACE INHIBITOR/DIURETIC COMBINATIONS

#### TIER 3

ACCURETIC  
CAPOZIDE  
LOTENSIN HCT  
MONOPRIL-HCT  
VASERETIC  
ZESTORETIC

### ADRENOLYTICS, CENTRAL

#### TIER 3

CATAPRES  
CATAPRES-TTS  
TENEX

### ALDOSTERONE RECEPTOR ANTAGONISTS

#### TIER 3

ALDACTONE  
INSPIRA

### ALPHA BLOCKERS

Guidelines for the use of alpha blockers in various patient populations are available at: <http://www.nhlbi.nih.gov/guidelines/hypertension>

#### TIER 3

CARDURA  
HYTRIN

### ANGIOTENSIN II RECEPTOR ANTAGONIST/CALCIUM CHANNEL BLOCKER COMBINATIONS

#### TIER 2

AZOR

### EXFORGE

### ANGIOTENSIN II RECEPTOR ANTAGONIST/CALCIUM CHANNEL BLOCKER/DIURETIC COMBINATIONS

#### TIER 2

EXFORGE HCT

### ANGIOTENSIN II RECEPTOR ANTAGONIST / DIRECT RENIN INHIBITOR COMBINATIONS

#### TIER 2

VALTURNA

### ANGIOTENSIN II RECEPTOR ANTAGONISTS/DIURETIC COMBINATIONS

Guidelines for the use of angiotensin II receptor antagonists in various patient populations are available at: <http://professional.diabetes.org>  
<http://www.nhlbi.nih.gov/guidelines/hypertension>

#### TIER 2

BENICAR  
BENICAR HCT  
DIOVAN  
DIOVAN HCT  
MICARDIS  
MICARDIS HCT

#### TIER 3

ATACAND \*  
ATACAND HCT  
COZAAR  
HYZAAR

\* Atacand should be reserved for patients who meet CHARM (Candesartan in Heart Failure - Assessment of Reduction in Mortality and Morbidity) trial criteria.

### ANTIARRHYTHMICS

Guidelines for the use of antiarrhythmics and cardiac glycosides in various patient populations are available at:

<http://www.acc.org>

#### TIER 2

MULTAQ  
TIKOSYN

#### TIER 3

BETAPACE  
BETAPACE AF  
CORDARONE  
NORPACE  
NORPACE CR  
RYTHMOL  
RYTHMOL SR  
TAMBOCOR

### ANTILIPEMICS

The Third Report of the Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) is available at:

<http://www.nhlbi.nih.gov/guidelines/cholesterol/index.htm>

### Bile Acid Resins

#### TIER 2

WELCHOL

#### TIER 3

COLESTID  
QUESTRAN/QUESTRAN LIGHT

### Cholesterol Absorption Inhibitors

#### TIER 2

ZETIA

### Fibrates

#### TIER 2

ANTARA  
LIPOFEN  
TRICOR  
TRILIPIX

#### TIER 3

LOFIBRA  
LOPID

### HMG-CoA Reductase Inhibitors

#### TIER 2

CRESTOR  
LIPITOR

#### TIER 3

MEVACOR  
PRAVACHOL  
ZOCOR

### Niacins/Combinations

#### TIER 2

NIASPAN  
SIMCOR

### Omega-3 Fatty Acids

#### TIER 2

LOVAZA

### BETA-BLOCKERS

Guidelines for the use of beta-blockers and beta-blocker combinations in various patient populations are available at:

<http://www.acc.org>

<http://www.nhlbi.nih.gov/guidelines/hypertension>

#### TIER 1

pinidolol  
propranolol

#### TIER 2

BYSTOLIC  
COREG CR

#### TIER 3

COREG  
CORGARD  
INDERAL LA  
LOPRESSOR  
TENORMIN  
TOPROL-XL  
TRANDATE  
ZEBETA

### BETA-BLOCKER/DIURETIC COMBINATIONS

Guidelines for the use of beta-blockers and diuretic combinations in various patient populations are available at:

<http://www.acc.org>

<http://www.nhlbi.nih.gov/guidelines/hypertension>

#### TIER 3

LOPRESSOR HCT  
TENORETIC  
ZIAC

### CALCIUM CHANNEL BLOCKERS

### Dihydropyridines

#### TIER 1

felodipine ext-rel

#### TIER 3

ADALAT CC  
NORVASC  
PROCARDIA XL

## **Nondihydropyridines**

### **TIER 3**

CALAN SR  
CARDIZEM CD  
CARDIZEM LA  
TIAZAC

## **CALCIUM CHANNEL BLOCKER/ANTILIPEMIC COMBINATIONS**

### **TIER 2**

CADUET

## **DIGITALIS GLYCOSIDES**

### **TIER 1**

digoxin ped elixir

### **TIER 3**

LANOXIN

## **DIRECT RENIN INHIBITORS**

### **TIER 2**

TEKURNA  
TEKURNA HCT

## **DIRECT RENIN INHIBITOR COMBINATIONS**

### **TIER 2**

TEKAMLO

## **DIRECT RENIN INHIBITOR/ CALCIUM CHANNEL BLOCKER/ DIURETIC COMBINATIONS**

### **TIER 2**

AMTURNIDE

## **DIURETICS**

### **Carbonic Anhydrase Inhibitors**

### **TIER 1**

acetazolamide  
methazolamide

### **TIER 3**

DIAMOX SEQUELS

### **Loop Diuretics**

### **TIER 3**

BUMEX  
DEMADEX  
LASIX

### **Potassium-sparing Diuretics**

### **TIER 1**

amiloride

### **Thiazide and Thiazide-like Diuretics**

### **TIER 1**

chlorthalidone  
hydrochlorothiazide  
indapamide

### **TIER 3**

ZAROXOLYN

### **Diuretic Combinations**

### **TIER 1**

amiloride/hydrochlorothiazide

### **TIER 3**

ALDACTAZIDE  
DYAZIDE  
MAXZIDE

## **NITRATES**

### **Oral**

### **TIER 1**

isosorbide dinitrate ext-rel tabs

### **TIER 3**

IMDUR  
ISMO  
ISORDIL

### **Sublingual**

### **TIER 2**

NITROSTAT

## **Transdermal**

### **TIER 1**

nitroglycerin transdermal

### **TIER 2**

NITRO-DUR

## **NITRATE/VASODILATOR COMBINATIONS**

### **TIER 2**

BIDIL

## **PULMONARY ARTERIAL HYPERTENSION**

### **Endothelin Receptor Antagonists**

### **TIER 2**

LETAIRIS  
TRACLEER

### **Phosphodiesterase Inhibitors**

### **TIER 2**

ADCIRCA  
REVATIO

### **Prostaglandin Vasodilators**

### **TIER 2**

FLOLAN  
REMODULIN  
TYVASO  
VENTAVIS

## **MISCELLANEOUS**

### **TIER 1**

hydralazine  
methyldopa

### **TIER 2**

RANEXA

### **TIER 3**

PROAMATINE

# **CENTRAL NERVOUS SYSTEM**

Practice guidelines for psychiatric disorders are available at: <http://www.psych.org>

## **ANTIANKXIETY**

### **Benzodiazepines**

### **TIER 1**

oxazepam

### **TIER 3**

ATIVAN  
KLONOPIN  
VALIUM  
XANAX

### **Miscellaneous**

### **TIER 1**

fluvoxamine

### **TIER 3**

ANAFRANIL  
BUSPAR

## **ANTICONVULSANTS**

Practice guidelines for the treatment of epilepsy are available at: <http://www.aan.com>

### **TIER 1**

phenobarbital

### **TIER 2**

BANZEL  
DEPAKOTE  
DEPAKOTE ER  
DIASTAT  
DILANTIN INFATABS  
KEPPRA

KEPPRA XR

LAMICTAL

LAMICTAL ODT

LAMICTAL XR

LYRICA

NEURONTIN

SABRIL

TOPAMAX

TRILEPTAL

VIMPAT

### **TIER 3**

CARBATROL

DEPAKENE

DILANTIN

GABITRIL

MYSOLINE

TEGRETOL

TEGRETOL-XR

ZARONTIN

ZONEGRAN

## **ANTIDEMENTIA**

Practice guidelines for the management of dementia are available at: <http://www.aan.com>

### **TIER 2**

ARICEPT  
EXELON  
EXELON PATCH  
NAMENDA  
RAZADYNE  
RAZADYNE ER

## **ANTIDEPRESSANTS**

Although these agents are primarily indicated for depression, some of these are also approved for other indications, including bipolar disorder, obsessive-compulsive disorder, panic disorder, and premenstrual dysphoric disorder. Guidelines for the evaluation and management of bipolar and depressive disorders are available at: <http://www.psych.org>

### **Monoamine Oxidase Inhibitors (MAOIs)**

### **TIER 2**

NARDIL

### **TIER 3**

PARNATE

### **Selective Serotonin Reuptake Inhibitors (SSRIs)**

### **TIER 2**

LEXAPRO

### **TIER 3**

CELEXA  
PAXIL  
PAXIL CR  
PROZAC  
ZOLOFT

### **Serotonin Norepinephrine Reuptake Inhibitors (SNRIs)\***

\* Indicates the proposed mechanism of action, based on the American Psychiatric Association Summary of Treatment Recommendations.

**TIER 1**

venlafaxine

**TIER 2**CYMBALTA  
PRISTIQ**TIER 3**

EFFEXOR XR

**Tricyclic Antidepressants (TCAs)****TIER 1**amitriptyline  
doxepin**TIER 3**NORPRAMIN  
PAMELOR  
TOFRANIL**Miscellaneous Agents****TIER 1**

trazodone

**TIER 3**REMERON  
WELLBUTRIN  
WELLBUTRIN SR  
WELLBUTRIN XL**ANTIPARKINSONIAN AGENTS**Practice guidelines for the diagnosis and treatment of Parkinson's disease are available at: <http://www.aan.com>**TIER 1**amantadine  
benztropine  
trihexyphenidyl**TIER 2**AZILECT  
COMTAN  
MIRAPEX  
NEUPRO  
REQUIP  
STALEVO**TIER 3**APOKYN  
ELDEPRYL  
PARCOPA  
PARLODEL  
SINEMET  
SINEMET CR**ANTIPSYCHOTICS****Atypicals****TIER 2**ABILIFY  
ABILIFY injection  
FANAPT  
GEODON  
INVEGA  
RISPERDAL  
SAPHRIS  
SEROQUEL  
SEROQUEL XR  
ZYPREXA**TIER 3**

CLOZARIL

**Miscellaneous****TIER 1**chlorpromazine  
fluphenazine  
haloperidol  
perphenazine  
thioridazine  
trifluoperazine**TIER 3**

NAVANE

**ATTENTION DEFICIT  
HYPERACTIVITY DISORDER**

Guidelines for the evaluation and management of attention deficit disorder are available at:

<http://www.aacap.org><http://www.aap.org>**TIER 2**ADDERALL XR  
CONCERTA  
DAYTRANA  
FOCALIN  
FOCALIN XR  
METADATE CD  
RITALIN LA  
STRATTERA  
VYVANSE**TIER 3**DEXEDRINE  
DEXEDRINE SPANSULE  
METADATE ER  
METHYLIN  
RITALIN**FIBROMYALGIA****TIER 2**

SAVELLA

**HUNTINGTON'S DISEASE AGENTS****TIER 2**

XENAZINE

**HYPNOTICS**

Practice parameters for the treatment of sleep disorders and clinical guidelines for the evaluation and management of chronic insomnia in adults are available at:

<http://www.aasmnet.org>**Benzodiazepines****TIER 3**HALCION  
RESTORIL**Nonbenzodiazepines****TIER 1**zolpidem  
zolpidem ext-rel**TIER 3**AMBIEN  
AMBIEN CR**MIGRAINE**

Guidelines for prevention and management of migraine headaches are available at:

<http://www.aan.com>**Ergotamine Derivatives****TIER 2**

CAFERGOT

**TIER 3**D.H.E. 45  
MIGRANAL**Selective Serotonin Agonists****TIER 1**

naratriptan

**TIER 2**MAXALT  
ZOMIG**TIER 3**

FROVA

**IMITREX**

RELPAK

**Selective Serotonin****Agonist/Nonsteroidal Antiinflammatory  
Drug (NSAID) Combinations****TIER 2**

TREXIMET

**MOOD STABILIZERS****TIER 1**lithium carbonate  
lithium carbonate ext-rel tabs 450 mg**TIER 3**

LITHOBID

**MULTIPLE SCLEROSIS AGENTS**Practice guidelines for multiple sclerosis are available at: <http://www.aan.com>**TIER 2**AVONEX  
BETASERON  
COPAXONE  
EXTAVIA  
REBIF**MUSCULOSKELETAL THERAPY  
AGENTS****TIER 1**baclofen  
orphenadrine/aspirin/caffeine**TIER 3**DANTRIUUM  
FLEXERIL  
PARAFON FORTE DSC  
ROBAXIN  
SKELAXIN  
SOMA  
ZANAFLEX tabs**MYASTHENIA GRAVIS****TIER 3**MESTINON  
MESTINON TIMESPAN**NARCOLEPSY/CATAPLEXY****TIER 2**PROVIGIL  
XYREM**PSYCHOTHERAPEUTICMISCELLA  
NEOUS****Alcohol Deterrents****TIER 3**ANTABUSE  
CAMPRAL**Narcotic Antagonists****TIER 3**

REVIA

**Partial Narcotic Agonist/Narcotic  
Antagonist Combinations****TIER 3**

SUBOXONE

**Smoking Deterrents****TIER 1**

nicotine transdermal

**TIER 3**

ZYBAN

## ENDOCRINE AND METABOLIC

### ANDROGENS

Clinical practice guidelines for the treatment of hypogonadism are available at:

<http://www.aace.com>

#### TIER 2

ANDRODERM  
ANDROGEL

#### TIER 3

STRIANT

### ANTIDIABETICS

Guidelines of treatment and management of diabetes are available at:

<http://professional.diabetes.org>

#### Alpha-glucosidase Inhibitors

#### TIER 2

PRECOSE

#### Amylin Analogs

#### TIER 2

SYMLIN

#### Biguanides

#### TIER 2

GLUMETZA  
RIOMET

#### TIER 3

GLUCOPHAGE  
GLUCOPHAGE XR

#### Biguanide/Sulfonylurea Combinations

#### TIER 3

METAGLIP

#### Dipeptidyl Peptidase-4 (DPP-4) Inhibitors

#### TIER 2

JANUVIA  
ONGLYZA

#### Dipeptidyl Peptidase-4 (DPP-4) Inhibitor/Biguanide Combinations

#### TIER 2

JANUMET  
KOMBIGLYZE XR

#### Incretin Mimetic Agents

#### TIER 2

BYETTA  
VICTOZA

#### Insulins

#### TIER 2

APIDRA  
HUMALOG  
HUMALOG MIX  
HUMULIN 70/30 **OTC**  
HUMULIN N **OTC**  
HUMULIN R **OTC**  
LANTUS  
LEVEMIR  
NOVOLIN 70/30 **OTC**  
NOVOLIN N **OTC**  
NOVOLIN R **OTC**  
NOVOLOG  
NOVOLOG MIX 70/30

#### Insulin Sensitizers

#### TIER 2

ACTOS  
AVANDIA

#### Insulin Sensitizer/Biguanide Combinations

#### TIER 2

ACTOPLUS MET  
AVANDAMET

#### Insulin Sensitizer/Sulfonylurea

#### Combinations

#### TIER 2

AVANDARYL  
DUETACT

#### Meglitinides

#### TIER 1

nateglinide

#### TIER 2

PRANDIN

#### Sulfonylureas

#### TIER 3

AMARYL  
GLUCOTROL  
GLUCOTROL XL

#### Supplies

#### TIER 2

ACCU-CHEK kits and test strips **OTC**  
BD insulin syringes and needles **OTC**  
LANCETS **OTC**  
ONETOUCH kits and test strips **OTC**

### ANTIOBESITY

Guidelines of treatment and management of obesity are available at: <http://www.aace.com>  
[http://www.nhlbi.nih.gov/guidelines/obesity/ob\\_home.htm](http://www.nhlbi.nih.gov/guidelines/obesity/ob_home.htm)

#### Monoamine Reuptake Inhibitors

#### TIER 3

MERIDIA

#### Fat Absorption Decreasing Agents

#### TIER 3

XENICAL

### CALCIUM RECEPTOR ANTAGONISTS

#### TIER 3

SENSIPAR

### CALCIUM REGULATORS

#### Bisphosphonates

Guidelines of treatment and management of osteoporosis are available at:

<http://www.aace.com>

<http://www.nof.org>

#### TIER 2

ACTONEL  
BONIVA

#### TIER 3

FOSAMAX

#### Calcitonins

#### TIER 1

calcitonin-salmon

#### TIER 3

MIACALCIN

#### Parathyroid Hormones

#### TIER 2

FORTEO

### CONTRACEPTIVES

EE = ethinyl estradiol

ME = mestranol

#### Monophasic

#### 20 mcg Estrogen

#### TIER 1

levonorgestrel/EE 0.1/20 - Lessina

#### TIER 2

BEYAZ

#### TIER 3

LOESTRIN 1/20  
LOESTRIN FE 1/20

#### 30 mcg Estrogen

#### TIER 1

levonorgestrel/EE 0.15/30 - Levora  
norgestrel/EE 0.3/30 - Low-Ogestrel

#### TIER 3

LOESTRIN 1.5/30  
LOESTRIN FE 1.5/30  
ORTHO-CEPT  
YASMIN

#### 35 mcg Estrogen

#### TIER 1

ethynodiol diacetate/EE 1/35 - Zovia  
1/35

#### TIER 3

BREVICON  
MODICON  
NORINYL 1+35  
ORTHO-CYCLEN  
ORTHO-NOVUM 1/35

#### 50 mcg Estrogen

#### TIER 1

ethynodiol diacetate/EE 1/50 - Zovia  
1/50

#### TIER 3

NORINYL 1+50  
ORTHO-NOVUM 1/50

#### Biphasic

#### TIER 3

MIRCETTE

#### Triphasic

#### TIER 1

levonorgestrel/EE - Trivora

#### TIER 2

ORTHO TRI-CYCLEN LO

#### TIER 3

CYCLESSA  
ORTHO TRI-CYCLEN  
ORTHO-NOVUM 7/7/7  
TRI-NORINYL

#### Four Phase

#### TIER 2

NATAZIA

#### Extended Cycle

#### TIER 2

LOSEASONIQUE  
SEASONIQUE

#### TIER 3

SEASONALE

#### Progestin Only

#### TIER 3

NOR-QD  
ORTHO MICRONOR

#### Emergency Contraception

#### TIER 2

PLAN B

#### Injectable

#### TIER 2

DEPO-PROVERA

#### Progestin Intrauterine Device

#### TIER 3

MIRENA

#### Transdermal

#### TIER 2

ORTHO EVRA

#### Vaginal

#### TIER 2

NUVARING

## ENDOMETRIOSIS

### TIER 1

danazol

### TIER 3

SYNAREL

## ESTROGENS

Guidelines of treatment and management of hormone therapy and menopause are available at: <http://www.menopause.org>

### Oral

#### TIER 2

ENJUVIA  
PREMARIN

#### TIER 3

CENESTIN

ESTRACE

OGEN

### Transdermal

#### TIER 2

ESTRADERM  
EVAMIST  
VIVELLE-DOT

#### TIER 3

ALORA

### Vaginal

#### TIER 2

ESTRACE  
FEMRING  
PREMARIN crm

#### TIER 3

ESTRING  
VAGIFEM

## ESTROGEN/PROGESTINS

### Oral

#### TIER 1

estradiol/norethindrone

#### TIER 2

PREMPHASE  
PREMPRO

#### TIER 3

FEMHRT  
PREFEST

### Transdermal

#### TIER 2

CLIMARA PRO

#### TIER 3

COMBIPATCH

## FERTILITY REGULATORS

### TIER 1

chorionic gonadotropin - Novarel

### TIER 2

BRAVELLE  
FOLLISTIM AQ

### TIER 3

CETROTIDE  
CLOMID  
GANIRELIX  
GONAL-F RFF  
MENOPUR  
OVIDREL

## GLUCOCORTICOIDS

### TIER 1

dexamethasone  
fludrocortisone  
prednisone

### TIER 2

CORTEF

### TIER 3

MEDROL  
ORAPRED  
PEDIAPRED  
PRELONE

## GLUCOSE ELEVATING AGENTS

### TIER 2

GLUCAGEN HYPOKIT  
GLUCAGON EMERGENCY KIT

## HUMAN GROWTH HORMONES

Guidelines for use of growth hormone are available at: <http://www.aace.com>

### TIER 2

GENOTROPIN  
HUMATROPE  
NORDITROPIN ##  
NUTROPIN/NUTROPIN AQ ##  
SAIZEN ##

## HYPERPARATHYROID TREATMENT, VITAMIN D ANALOGS

### TIER 2

HECTOROL  
ZEMPLAR

## PHENYLKETONURIA TREATMENT AGENTS

### TIER 2

KUVAN

## PHOSPHATE BINDER AGENTS

### TIER 2

FOSRENOL  
PHOSLO  
RENAGEL  
REVELA

## PROGESTINS

### Oral

#### TIER 2

PROMETRIUM

#### TIER 3

AYGESTIN  
PROVERA

### Vaginal

#### TIER 3

CRINONE  
PROCHIEVE

## SELECTIVE ESTROGEN RECEPTOR MODULATORS

### TIER 2

EVISTA

## THYROID AGENTS

### Antithyroid Agents

#### TIER 1

propylthiouracil

#### TIER 3

TAPAZOLE

### Thyroid Supplements

#### TIER 1

levothyroxine  
levothyroxine - Levoxyl

#### TIER 2

CYTOMEL  
SYNTHROID

## VASOPRESSINS

### TIER 3

DDAVP #

## MISCELLANEOUS

### TIER 3

CARNITOR  
DOSTINEX

## GASTROINTESTINAL

Guidelines for the treatment and management of various gastrointestinal diseases/conditions are available at: <http://www.acg.gi.org>

## ANTIDIARRHEALS

### TIER 1

loperamide

### TIER 3

LOMOTIL

## ANTIEMETICS

### TIER 1

prochlorperazine  
promethazine

### TIER 2

MARINOL  
SANCUSO

### TRANSDERM SCOP

### TIER 3

ANTIVERT  
EMEND  
KYTRIL  
REGLAN  
TIGAN caps  
ZOFRAN

## ANTISPASMODICS

### TIER 1

chlordiazepoxide/clidinium  
hyoscyamine sulfate orally  
disintegrating tabs

### TIER 2

BENTYL  
LEVBID

LEVSIN  
LEVSINEX

## CHOLELITHOLYTICS

### TIER 2

URSO

### TIER 3

ACTIGALL

## H2 RECEPTOR ANTAGONISTS

### TIER 3

PEPCID  
TAGAMET  
ZANTAC

## INFLAMMATORY BOWEL DISEASE

### Injectable Agents

#### TIER 2

CIMZIA

### Oral Agents

#### TIER 1

balsalazide

#### TIER 2

ASACOL  
ASACOL HD  
ENTOCORT EC  
LIALDA  
PENTASA

#### TIER 3

AZULFIDINE  
AZULFIDINE EN-TABS  
DIPENTUM

### Rectal Agents

#### TIER 1

hydrocortisone enema

#### TIER 2

CANASA  
CORTIFOAM  
SFROWASA

#### TIER 3

ROWASA

## IRRITABLE BOWEL SYNDROME

### IRRITABLE BOWEL SYNDROME WITH CONSTIPATION

#### TIER 2

AMITIZA

### IRRITABLE BOWEL SYNDROME WITH DIARRHEA

#### TIER 2

LOTRONEX \*

\* For safety reasons, to prescribe Lotronex, the physician must be enrolled in the Prescribing Program for Lotronex. Physicians must understand the benefits and risks of treatment with Lotronex for severe diarrhea-predominant IBS, including the information in the Prescribing Information, Medication Guide and Patient-Physician Agreement for Lotronex. To enroll or for more information on the Prescribing Program for Lotronex, call 1-888-423-5227 or visit [www.lotronex.com](http://www.lotronex.com) to complete the Physician Enrollment Form.

## LAXATIVES

### TIER 1

lactulose

### TIER 2

GOLYTELY  
HALFLYTELY  
KRISTALOSE  
MOVIPREP  
NULYTELY  
OSMOPREP  
VISICOL

### TIER 3

MIRALAX

## PANCREATIC ENZYMES

### TIER 2

CREON  
ULTRASE  
ULTRASE MT  
VIOKASE

## PROSTAGLANDINS

### TIER 3

CYTOTEC

## PROTON PUMP INHIBITORS

### TIER 1

lansoprazole delayed-rel  
omeprazole/sodium bicarbonate caps  
pantoprazole delayed-rel

### TIER 2

DEXILANT  
NEXIUM

### TIER 3

PRIOSEC

## SALIVA STIMULANTS

### TIER 3

EVOXAC  
SALAGEN

## STEROIDS, RECTAL

### TIER 3

PROCTOCREAM-HC 2.5%  
PROCTOFOAM-HC

## ULCER THERAPY COMBINATIONS

### TIER 3

PREVPAC  
PYLERA

## MISCELLANEOUS

### TIER 3

CARAFATE

## GENITOURINARY

### BENIGN PROSTATIC HYPERPLASIA

Guidelines for the management of BPH are available at: <http://www.auanet.org/guidelines>

#### TIER 2

AVODART  
RAPAFLO

#### TIER 3

PROSCAR

### ERECTILE DYSFUNCTION

Guidelines for the management of erectile dysfunction are available at: <http://www.auanet.org/guidelines>

### Alprostadil Agents

#### TIER 3

EDEX  
MUSE

### Phosphodiesterase Inhibitors

#### TIER 3

CIALIS  
VIAGRA

### URINARY ANTISPASMODICS

#### TIER 1

oxybutynin  
trospium

#### TIER 2

DETROL  
DETROL LA  
ENABLEX  
GELNIQUE  
OXYTROL  
SANCTURA XR  
VESICARE

#### TIER 3

DITROPAN XL

### VAGINAL ANTI-INFECTIVES

#### TIER 2

METROGEL-VAGINAL

#### TIER 3

CLEOCIN  
CLINDESSE  
TERAZOL 3  
TERAZOL 7

### MISCELLANEOUS

#### TIER 2

ELMIRON  
UROCIT-K

#### TIER 3

PYRIDIUM  
URECHOLINE

## HEMATOLOGIC

Guidelines of treatment and management of hemophilia are available at: <http://www.hemophilia.org>

### ANTICOAGULANTS

### Injectable

#### TIER 3

FRAGMIN  
INNOHEP  
LOVENOX

### Oral

#### TIER 2

COUMADIN

### Synthetic Heparinoid-like Agents

#### TIER 3

ARIXTRA

### HEMATOPOIETIC GROWTH FACTORS

Guidelines for the management of neutropenia are available at: <http://www.asco.org>

Guidelines for the management of anemia associated with chronic kidney disease are available at: [http://www.kidney.org/professionals/kdoqi/guidelines\\_commentaries.cfm#guidelines](http://www.kidney.org/professionals/kdoqi/guidelines_commentaries.cfm#guidelines)

#### TIER 2

ARANESP  
NEULASTA  
NEUPOGEN  
PROCRIT

**IDIOPATHIC THROMBOCYTOPENIC PURPURA AGENTS****TIER 2**  
PROMACTA**PAROXYSMAL NOCTURNAL HEMOGLOBINURIA (PNH) AGENTS****TIER 3**  
SOLIRIS**PLATELET AGGREGATION INHIBITORS****TIER 2**  
EFFIENT  
PLAVIX  
**TIER 3**  
AGGRENOX  
PERSANTINE**PLATELET SYNTHESIS INHIBITORS****TIER 3**  
AGRYLIN**STEM CELL MOBILIZERS****TIER 2**  
MOZOBIL**MISCELLANEOUS****TIER 3**  
PLETAL**IMMUNOLOGIC AGENTS****BIOLOGIC DISEASE-MODIFYING AGENTS**

Guidelines for the management of rheumatic diseases are available at:

<http://www.rheumatology.org>**TIER 1**  
methotrexate**TIER 2**  
ENBREL  
HUMIRA  
RHEUMATREX  
SIMPONI**TIER 3**  
ARAVA  
KINERET  
PLAQUENIL**IMMUNOMODULATORS**

CDC recommendations on the treatment of hepatitis are available at:

<http://www.cdc.gov/hepatitis/index.htm>Guidelines for the management of hepatitis are available at: <http://www.aasld.org>**Interferons****TIER 2**  
INFERGEN  
INTRON A  
PEGASYS  
PEGINTRON**Miscellaneous****TIER 2**  
ILARIS**IMMUNOSUPPRESSANTS****Antimetabolites****TIER 2**  
AZASAN  
CELLCEPT  
MYFORTIC**TIER 3**  
IMURAN**Calcineurin Inhibitors****TIER 2**  
PROGRAF**TIER 3**  
NEORAL  
SANDIMMUNE**Rapamycin Derivatives****TIER 2**  
RAPAMUNE**NUTRITIONAL/SUPPLEMENTS****ELECTROLYTES****Potassium****TIER 1**  
potassium chloride liquid**TIER 3**  
K-DUR  
MICRO-K**VITAMINS AND MINERALS****Folic Acid Agents****TIER 1**  
folic acid**TIER 2**  
FOLTX**Prenatal Vitamins****TIER 2**  
CITRANATAL 90 DHA  
CITRANATAL ASSURE  
CITRANATAL B-CALM  
CITRANATAL DHA  
CITRANATAL RX  
PREFERAOB  
PREFERAOB WITH DHA  
VITAFOL-OB  
VITAFOL-OB+DHA  
VITAFOL-PN**Miscellaneous****TIER 1**  
cyanocobalamin inj  
multivitamins/fluoride drops, tabs  
multivitamins/fluoride/iron drops, tabs  
vitamin ADC/fluoride drops  
vitamin ADC/fluoride/iron drops**TIER 3**  
DRISDOL  
LURIDE  
LURIDE LOZI-TABS  
MEPHYTON  
ROCALTROL**RESPIRATORY**

Guidelines to the management, prevention, or treatment of COPD and asthma are available at:

<http://www.aaaai.org><http://www.ginasthma.com><http://www.goldcopd.com><http://www.nhlbi.nih.gov>

The Allergy Report and guidelines for allergy related conditions are available at:

<http://www.aaaai.org>**ANAPHYLAXIS TREATMENT AGENTS****TIER 2**  
EPIPEN  
EPIPEN JR.**ANTICHOLINERGICS****TIER 1**  
ipratropium soln**TIER 2**  
SPIRIVA**TIER 3**  
ATROVENT HFA**ANTICHOLINERGIC/BETA AGONIST COMBINATIONS****TIER 2**  
COMBIVENT**TIER 3**  
DUONEB**ANTIHISTAMINES, LOW SEDATING****TIER 3**  
XYZAL  
ZYRTEC OTC**ANTIHISTAMINES, NONSEDATING****TIER 3**  
ALLEGRA**ANTIHISTAMINES, SEDATING****TIER 1**  
clemastine 2.68 mgcyproheptadine  
hydroxyzine HCl**ANTIHISTAMINE/DECONGESTANT COMBINATIONS****TIER 1**  
brompheniramine/pseudoephedrine 4 mg/45 mg per 5 mL  
brompheniramine/pseudoephedrine ext-rel 12 mg/120 mg  
brompheniramine/pseudoephedrine ext-rel 6 mg/60 mg**TIER 3**  
DECONAMINE SR  
RONDEC DROPS  
RONDEC SYRUP  
ZYRTEC-D 12 Hour OTC

## ANTITUSSIVES

### TIER 3

TESSALON

## ANTITUSSIVE COMBINATIONS

### Narcotic

#### TIER 1

codeine/chlorpheniramine/  
pseudoephedrine  
codeine/guaifenesin liquid  
codeine/guaifenesin/pseudoephedrine  
codeine/promethazine

#### TIER 2

PROMETHAZINE VC w/CODEINE

#### TIER 3

HYCODAN

### Non-narcotic

#### TIER 1

dextromethorphan/brompheniramine/  
pseudoephedrine  
dextromethorphan/chlorpheniramine/  
phenylephrine drops, syrup  
dextromethorphan/promethazine

## BETA AGONISTS

### Inhalants

#### Short Acting

##### TIER 1

albuterol soln

##### TIER 2

PROAIR HFA  
PROVENTIL HFA  
VENTOLIN HFA

##### TIER 3

ACCUNEB  
MAXAIR

#### Long Acting

##### TIER 2

FORADIL

PERFORMIST  
SEREVENT

### Oral Agents

#### TIER 1

albuterol

#### TIER 2

VOSPIRE ER

#### TIER 3

BRETHINE

## CYSTIC FIBROSIS

### TIER 3

PULMOZYME  
TOBI

## LEUKOTRIENE RECEPTOR ANTAGONISTS

### TIER 1

zafirlukast

### TIER 2

SINGULAIR

## MAST CELL STABILIZERS

### TIER 1

cromolyn soln

### TIER 2

INTAL inhaler

## NASAL ANTIHISTAMINES

### TIER 2

ASTEPRO

### TIER 3

ASTELIN

## NASAL STEROIDS

### TIER 1

flunisolide spray  
triamcinolone nasal spray

### TIER 2

NASACORT AQ  
NASONEX  
VERAMYST

### TIER 3

FLONASE  
NASAREL

## STEROID/BETA AGONIST COMBINATIONS

### TIER 2

ADVAIR  
ADVAIR HFA  
DULERA  
SYMBICORT

## STEROID INHALANTS

### TIER 2

ASMANEX  
FLOVENT HFA  
PULMICORT FLEXHALER  
QVAR

### TIER 3

AZMACORT

## XANTHINES

### TIER 1

theophylline ext-rel tabs

### TIER 3

ELIXOPHYLLIN  
THEO-24  
UNIPHYL

## MISCELLANEOUS

### TIER 3

ATROVENT spray  
XOLAIR

## TOPICAL

## DERMATOLOGY

### Acne

Guidelines for the care and treatment of acne vulgaris are available at: <http://www.aad.org>

#### Oral

##### TIER 3

AC CUTANE

#### Topical

##### TIER 1

adapalene  
erythromycin gel 2%  
erythromycin soln  
sulfacetamide/sulfur crm, gel, lotion,  
pads  
tretinoin (generic of AVITA)

##### TIER 2

ACANYA  
DIFFERIN  
DUAC  
EPIDUO  
RETIN-A MICRO  
VELTIN

##### TIER 3

AZELEX  
BENZAC AC  
BENZA CLIN  
BENZAMYCIN  
CLEOCIN T  
KLARON

### RETIN-A

#### Actinic Keratosis

##### TIER 2

CARAC

#### Antibiotics

##### TIER 1

gentamicin

##### TIER 2

ALTABAX  
BACTROBAN

##### TIER 3

SILVADENE

#### Antifungals

##### TIER 1

clotrimazole  
econazole

##### TIER 2

LOPROX

##### TIER 3

EXELDERM  
MENTAX  
MYCOSTATIN  
NIZORAL  
OXISTAT

#### Antipsoriatics

Guidelines of care for the management and treatment of psoriasis with topical therapies are available at: <http://www.aad.org>

#### Injectable

##### TIER 3

STELARA

#### Oral

##### TIER 3

OXSORALEN-ULTRA  
SORIATANE

#### Topical

##### TIER 2

DOVONEX  
TAZORAC

#### Antiseborrheics

##### TIER 3

NIZORAL SHAMPOO  
SELSUN

#### Corticosteroids

##### Low Potency

##### TIER 1

fluocinolone acetonide soln 0.01%  
hydrocortisone crm 2.5%  
hydrocortisone lotion 1%

##### TIER 3

ACLOVATE  
DESOWEN

##### Medium Potency

##### TIER 1

betamethasone valerate crm, lotion,  
oint 0.1%  
desoximetasone crm 0.05%

fluocinolone acetonide crm, oint 0.025%  
triamcinolone acetonide crm, lotion  
0.025%  
triamcinolone acetonide crm, lotion,  
oint 0.1%

#### TIER 3

CORDRAN lotion, tape  
CUTIVATE  
ELOCON  
KENALOG SPRAY  
LOCOID  
LOCOID LIPOCREAM  
WESTCORT

#### High Potency

##### TIER 1

betamethasone dipropionate crm, lotion,  
oint 0.05%  
diflorasone diacetate crm 0.05%  
triamcinolone acetonide crm 0.5%

##### TIER 3

APEXICON E  
DIPROLENE AF  
DIPROLENE lotion  
LIDEX  
TOPICORT

#### Very High Potency

##### TIER 1

diflorasone diacetate oint 0.05%

##### TIER 3

CLOBEX  
DIPROLENE gel, oint  
OLUX  
TEMOVATE  
ULTRAVATE

#### Emollients

##### TIER 3

LAC-HYDRIN

#### Immunomodulators

Guidelines for the treatment of atopic dermatitis  
are available at: <http://www.aad.org>

##### TIER 2

ELIDEL  
PROTOPIC

#### Local Analgesics

##### TIER 2

LIDODERM

#### Local Anesthetic

##### TIER 3

EMLA

#### Rosacea

##### TIER 1

metronidazole gel 0.75%

##### TIER 2

FINACEA  
ORACEA

##### TIER 3

METROCREAM  
METROGEL  
METROLOTION  
PLEXION

#### Scabicides and Pediculicides

##### TIER 2

OVIDE

##### TIER 3

ELIMITE  
EURAX

#### Miscellaneous Skin and Mucous

#### Membrane

##### TIER 2

CONDYLOX

#### TIER 3

ALDARA

### MOUTH/THROAT/DENTAL AGENTS

#### Anesthetics - Topical Oral

##### TIER 3

XYLOCAINE VISCOUS

#### Steroids - Mouth/Throat

##### TIER 1

triamcinolone paste

### OPHTHALMIC

Preferred Practice Pattern Guidelines for the  
treatment of various ophthalmic conditions are  
available at: <http://one.aao.org>

#### Antiallergics

##### TIER 2

OPTIVAR  
PATADAY

##### TIER 3

ALOCRIAL  
ALOMIDE  
ALREX  
CROLOM  
PATANOL  
ZADITOR OTC

#### Antifungals

##### TIER 2

NATACYN

#### Anti-infectives

##### TIER 1

bacitracin  
erythromycin  
gentamicin  
polymyxin B/bacitracin

##### TIER 2

QUIXIN  
VIGAMOX  
ZYMAR

##### TIER 3

BLEPH-10  
CILOXAN  
NEOSPORIN  
OCUFLOX  
POLYTRIM  
TOBREX

#### Anti-infective/Anti-inflammatory

#### Combinations

##### TIER 1

sulfacetamide/prednisolone phosphate  
10%/0.25%

##### TIER 2

BLEPHAMIDE SOP  
TOBRADEX  
ZYLET

##### TIER 3

CORTISPORIN  
MAXITROL

#### Anti-inflammatory

#### Nonsteroidal

##### TIER 2

ACULAR  
XIBROM

##### TIER 3

VOLTAREN

#### Steroidal

##### TIER 1

dexamethasone sodium phosphate  
prednisolone phosphate 1%

#### TIER 2

LOTEMAX  
PRED MILD

#### TIER 3

FML  
PRED FORTE

#### Antivirals

##### TIER 3

VIROPTIC

#### Beta-blockers

#### Nonselective

##### TIER 2

BETIMOL

##### TIER 3

BETAGAN  
OPTIPRANOLOL  
TIMOPTIC  
TIMOPTIC-XE

#### Selective

##### TIER 2

BETOPTIC S

#### Carbonic Anhydrase Inhibitors

#### Topical

##### TIER 2

TRUSOPT

##### TIER 3

AZOPT

#### Carbonic Anhydrase Inhibitor/Beta-

#### blocker Combinations

##### TIER 3

COSOPT

#### Immunomodulators

##### TIER 3

RESTASIS

#### Prostaglandins

##### TIER 2

LUMIGAN  
TRAVATAN Z

#### Sympathomimetics

##### TIER 1

brimonidine 0.2%

##### TIER 2

ALPHAGAN P 0.1%  
ALPHAGAN P 0.15%

#### Sympathomimetic/Beta-blocker

#### Combinations

##### TIER 2

COMBIGAN

### OTIC

Clinical practice guidelines for the treatment of  
otitis media are available at:

<http://www.aap.org>

#### Anti-infectives

##### TIER 1

acetic acid

##### TIER 2

FLOXIN OTIC

##### TIER 3

DOMEBORO OTIC

#### Anti-infective/Anti-inflammatory

#### Combinations

##### TIER 2

CIPRODEX

##### TIER 3

CIPRO HC OTIC  
CORTISPORIN OTIC